

SYMBOL CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-23B	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	1 September 2000	August 23, 2001
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, NO-FIRE AREA (NFA), RECTANGULAR			
SUGGESTED CHANGE			
<p>The Army has a requirement to add a new symbol to MIL-STD-2525B.</p> <ol style="list-style-type: none"> <li>1. The purpose of the Rectangular No-Fire Area symbol is to graphically display rectangular No-Fire Areas (NFA) to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP).</li> <li>2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the “Areas”, “Command and Control Areas” hierarchy, 2.X.4.3.2, figure B-17, and table B-IV.</li> </ol>			
<h3>OVERVIEW</h3> <p>Currently, the standard does not contain a symbol depicting rectangular No-Fire Areas. In general, the rectangular No-Fire Area (NFA) symbol is used to graphically display a land area designated by the appropriate commander into which fires of their effects are prohibited. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD, will allow the symbol to be transmitted/received by all battlefield systems. The rectangular No-Fire Area is a required symbol in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the rectangular No-Fire Area for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.</p>			
<h3>OPERATIONAL DESCRIPTION</h3> <p>The purpose of the rectangular No-Fire Area symbol is to graphically display to commanders and operators a land area designated by the appropriate commander into which fires of their effects are prohibited. The rectangular No-Fire Areas are unique to specific weapons and units. Two (2) point locations and a width are required to graphically display a rectangular No-Fire Area. The minimum information required to interoperate with another system is defined below.</p>			
<h3>IMPLEMENTATION</h3> <p>Description: <b>Fire Support, Areas, Command and Control Areas, No-Fire Area (NFA), Rectangular</b></p> <p>Parameters:</p> <ol style="list-style-type: none"> <li>1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle.</li> <li>2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable.</li> <li>3. Orientation. As determined by the anchor points.</li> </ol> <p>Fixed/Dynamic: Dynamic</p> <p>Hierarchy: 2.X.4.3.2.4.2</p> <p>Symbol ID: G*F*ACNR--****X</p>			

SYMBOL CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-23B	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	1 September 2000	August 23, 2001
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, NO-FIRE AREA (NFA), RECTANGULAR			
<u>Tactical Graphic:</u>		<u>Example:</u>	
JIEO ANALYSIS			
<b>OVERVIEW:</b> <b>POTENTIAL CONFLICTS WITH EXISTING SYMBOLOGY:</b> <b>CONFORMANCE TO SYMBOL GUIDELINES:</b> <b>ADEQUACY AND IMPACT ON OTHER PROGRAMS:</b>			
C/S/A COMMENTS			
DECISION NOTICE			
SSMC 3-01: Approved as amended. MIL00-23A amended by adding text to point out that width will be defined in meters. See parameters and graphic example above and the example of Table B-IV in attachment A.			

# Attachment A to MIL00-23B, Add New Symbol, No-Fire Area (NFA), Rectangular

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

Attachment A to MIL00-23B, Add New Symbol, No-Fire Area (NFA), Rectangular

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.




HIERARCHY							DESCRIPTION
2.X.4	G	*	F	*	--	--	** FIRE SUPPORT
2.X.4.1	G	*	F	*	P-	--	** POINT
2.X.4.1.1	G	*	F	*	PT	--	** TARGET
2.X.4.1.1.1	G	*	F	*	PT	S-	** POINT/SINGLE TARGET
2.X.4.1.1.2	G	*	F	*	PT	N-	** NUCLEAR TARGET
2.X.4.1.2	G	*	F	*	PC	--	** COMMAND AND CONTROL
2.X.4.1.2.1	G	*	F	*	PC	F-	** FIRE SUPPORT STATION
2.X.4.1.2.2	G	*	F	*	PC	S-	** SURVEY CONTROL POINT (SCP)
2.X.4.1.2.3	G	*	F	*	PC	B-	** FIRING POINT
2.X.4.1.2.4	G	*	F	*	PC	R-	** RELOAD POINT
2.X.4.1.2.5	G	*	F	*	PC	H-	** HIDE POINT
2.X.4.1.2.6	G	*	F	*	PC	L-	** LAUNCH POINT
2.X.4.2	G	*	F	*	L-	--	** LINES
2.X.4.2.1	G	*	F	*	LT	--	** LINEAR TARGET
2.X.4.2.1.1	G	*	F	*	LT	S-	** LINEAR SMOKE TARGET
2.X.4.2.1.2	G	*	F	*	LT	F-	** FINAL PROTECTIVE FIRE (FPF)
2.X.4.2.2	G	*	F	*	LC	--	** COMMANDAND CONTROL
2.X.4.2.2.1	G	*	F	*	LC	F-	** FIRE SUPPORT COORDINATION LINE (FSCL)
2.X.4.2.2.2	G	*	F	*	LC	C-	** COORDINATED FIRE LINE (CFL)
2.X.4.2.2.3	G	*	F	*	LC	N-	** NO-FIRE LINE (NFL)
2.X.4.2.2.4	G	*	F	*	LC	R-	** RESTRICTIVE FIRE LINE (RFL)
2.X.4.3	G	*	F	*	A-	--	** AREAS
2.X.4.3.1	G	*	F	*	AT	--	** AREA TARGET
2.X.4.3.1.1	G	*	F	*	AT	C-	** CIRCULAR TARGET
2.X.4.3.1.2	G	*	F	*	AT	R-	** RECTANGULAR TARGET
2.X.4.3.1.3	G	*	F	*	AT	G-	** SERIES OR GROUP OF TARGETS
2.X.4.3.1.4	G	*	F	*	AT	S-	** SMOKE
2.X.4.3.1.5	G	*	F	*	AT	B-	** BOMB AREA
2.X.4.3.2	G	*	F	*	AC	--	** COMMAND AND CONTROL
2.X.4.3.2.1	G	*	F	*	AC	S-	** FIRE SUPPORT AREA (FSA)
2.X.4.3.2.1.1	G	*	F	*	AC	SI	** FIRE SUPPORT AREA (FSA), IRREGULAR
2.X.4.3.2.1.2	G	*	F	*	AC	SR	** FIRE SUPPORT AREA (FSA), RECTANGULAR
2.X.4.3.2.2	G	*	F	*	AC	A-	** AIRSPACE COORDINATION AREA (ACA)
2.X.4.3.2.2.1	G	*	F	*	AC	AI	** AIRSPACE COORDINATION AREA (ACA), IRREGULAR
2.X.4.3.2.2.2	G	*	F	*	AC	AR	** AIRSPACE COORDINATION AREA (ACA), RECTANGULAR
2.X.4.3.2.3	G	*	F	*	AC	F-	** FREE FIRE AREA (FFA)
2.X.4.3.2.3.1	G	*	F	*	AC	FI	** FREE FIRE AREA (FFA), IRREGULAR
2.X.4.3.2.3.2	G	*	F	*	AC	FR	** FREE FIRE AREA (FFA), RECTANGULAR
2.X.4.3.2.4	G	*	F	*	AC	N-	** NO-FIRE AREA (NFA)
2.X.4.3.2.4.1	G	*	F	*	AC	NI	** NO-FIRE AREA (NFA), IRREGULAR
2.X.4.3.2.4.2	G	*	F	*	AC	NR	** NO-FIRE AREA (NFA), RECTANGULAR
2.X.4.3.2.5	G	*	F	*	AC	R-	** RESTRICTIVE FIRE AREA (RFA)
2.X.4.3.2.5.1	G	*	F	*	AC	RI	** RESTRICTIVE FIRE AREA (RFA), IRREGULAR
2.X.4.3.2.5.2	G	*	F	*	AC	RR	** RESTRICTIVE FIRE AREA (RFA), RECTANGULAR
2.X.4.3.2.6	G	*	F	*	AC	P-	** POSITION AREA FOR ARTILLERY (PAA)
2.X.4.3.2.6.1	G	*	F	*	AC	PI	** POSITION AREA FOR ARTILLERY (PAA),

Attachment A to MIL00-23B, Add New Symbol, No-Fire Area (NFA), Rectangular

HIERARCHY	DESCRIPTION									
	FUNCTION ID	SIZE/MOBILITY	ORDER OF BATTLE	COUNTRY CODE						
STATUS	CATEGORY	AFFILIATION	CODE SCHEME							
2.X.4.3.3	G * F *	AZ -- --	**	** X	IRREGULAR	TARGET ACQUISITION ZONES				
2.X.4.3.3.1	G * F *	AZ I- --	**	** X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE					
2.X.4.3.3.1.1	G * F *	AZ II --	**	** X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR					
2.X.4.3.3.1.2	G * F *	AZ IR --	**	** X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR					
2.X.4.3.3.2	G * F *	AZ X- --	**	** X	CALL FOR FIRE ZONE (CFFZ)					
2.X.4.3.3.2.1	G * F *	AZ XI --	**	** X	CALL FOR FIRE ZONE (CFFZ), IRREGULAR					
2.X.4.3.3.2.2	G * F *	AZ XR --	**	** X	CALL FOR FIRE ZONE (CFFZ), RECTANGULAR					
2.X.4.3.3.3	G * F *	AZ S- --	**	** X	SENSOR ZONE					
2.X.4.3.3.3.1	G * F *	AZ SI --	**	** X	SENSOR ZONE, IRREGULAR					
2.X.4.3.3.3.2	G * F *	AZ SR --	**	** X	SENSOR ZONE, RECTANGULAR					
2.X.4.3.3.4	G * F *	AZ C- --	**	** X	CENSOR ZONE					
2.X.4.3.3.4.1	G * F *	AZ CI --	**	** X	CENSOR ZONE, IRREGULAR					
2.X.4.3.3.4.2	G * F *	AZ CR --	**	** X	CENSOR ZONE, RECTANGULAR					
2.X.4.3.3.5	G * F *	AZ D- --	**	** X	DEAD SPACE AREA (DA)					
2.X.4.3.3.5.1	G * F *	AZ DI --	**	** X	DEAD SPACE AREA (DA), IRREGULAR					
2.X.4.3.3.5.2	G * F *	AZ DR --	**	** X	DEAD SPACE AREA (DA), RECTANGULAR					
2.X.4.3.3.6	G * F *	AZ F- --	**	** X	CRITICAL FRIENDLY ZONE (CFZ)					
2.X.4.3.3.6.1	G * F *	AZ FI --	**	** X	CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR					
2.X.4.3.3.6.2	G * F *	AZ FR --	**	** X	CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR					
2.X.4.3.3.7	G * F *	AZ Z- --	**	** X	ZONE OF RESPONSIBILITY (ZOR)					
2.X.4.3.3.7.1	G * F *	AZ ZI --	**	** X	ZONE OF RESPONSIBILITY (ZOR), IRREGULAR					
2.X.4.3.3.7.2	G * F *	AZ ZR --	**	** X	ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR					
2.X.4.3.3.8	G * F *	AZ B- --	**	** X	TARGET BUILD-UP AREA (TBA)					
2.X.4.3.3.8.1	G * F *	AZ BI --	**	** X	TARGET BUILD-UP AREA (TBA), IRREGULAR					
2.X.4.3.3.8.2	G * F *	AZ BR --	**	** X	TARGET BUILD-UP AREA (TBA), RECTANGULAR					
2.X.4.3.3.9	G * F *	AZ V- --	**	** X	TARGET VALUE AREA (TVA)					
2.X.4.3.3.9.1	G * F *	AZ VI --	**	** X	TARGET VALUE AREA (TVA), IRREGULAR					
2.X.4.3.3.9.2	G * F *	AZ VR --	**	** X	TARGET VALUE AREA (TVA), RECTANGULAR					
2.X.4.3.4	G * F *	AX -- --	**	** X	WEAPON/RADAR RANGE FAN					
2.X.4.3.4.1	G * F *	AX C- --	**	** X	WEAPON/RADAR RANGE FAN, CIRCULAR					
2.X.4.3.4.2	G * F *	AX S- --	**	** X	WEAPON/RADAR RANGE FAN, SECTOR					

Attachment A to MIL00-23B, Add New Symbol, No-Fire Area (NFA), Rectangular

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY	TACTICAL GRAPHIC	
		SYM-ID		
FIRE SUPPORT AREAS COMMAND AND CONTROL NO-FIRE AREA (NFA)	N/A	2.X.4.3.2.4		
FIRE SUPPORT AREAS COMMAND AND CONTROL NO-FIRE AREA (NFA) IRREGULAR	D	2.X.4.3.2.4.1		
		G*FPACNI-- ****X		
		Example		
FIRE SUPPORT AREAS COMMAND AND CONTROL NO-FIRE AREA (NFA) RECTANGULAR	D	2.X.4.3.2.4.2		
<u>Parameters</u>		G*FPACNR-- ****X		
		Example		